

# Wall hinged timber climbing frames

Z669010XX



## Details

A top quality wall hinged climbing frame manufactured by Continental in the UK to BS1892 / 1972 standards.

A versatile and space saving frame with 20 gate options all available at the same price. These frames can be supplied as a single gate or in multiples which can be linked with 3m beams and ladders. Typically provided in singles, pairs or triples which operate simultaneously, please contact us to discuss your requirements.

[Technical Information](#)

Each gate stores flat against the wall requiring only 3m of wall space. If space is at a premium, two gates can be arranged to fold onto each other, still requiring only 3m of wall space in total. Windows and radiators can be spanned without difficulty.

The frame is secured by an overhead cable, tension clamp locking device and shoot bolts into the floor. This item requires a wall fixed tension clamp which is installed as standard on a timber patten. A padded tension clamp cover is available at additional cost.

Frames are available with your choice of either oval timber rails, or with epoxy powder coated 32mm diameter steel tube horizontal rails at the same price depending on personal preference.

For pairs and triple arrangements we offer a "Southampton Cave" optional upgrade which provides a metal pole spanning between the top outermost corners of the frames and onto which climbing ropes are suspended to provide additional challenges. Please see the accessories shown to the right to add this to your order.

Frames are available in the following heights:

- 4.9m (16')
- 4.2m (14')
- 3.6m (12')
- 3.0m (10')
- 2.4m (8')

We will contact you on receipt of your order to confirm frame design choices, selection of timber rails or steel rails and installation arrangements. The price includes installation but is subject to a modest "Area Charge" which is applied at the checkout and depends on your location.

SKU	Options	Available Colours
Z669010XX-2.4m (8')-S	2.4m (8')	N/A
Z669010XX-2.4m (8')-T	2.4m (8')	N/A
Z669010XX-2.4m (8')-P	2.4m (8')	N/A
Z669010XX-3.0m (10')-T	3.0m (10')	N/A
Z669010XX-3.0m (10')-P	3.0m (10')	N/A
Z669010XX-3.0m (10')-S	3.0m (10')	N/A
Z669010XX-3.6m (12')-S	3.6m (12')	N/A
Z669010XX-3.6m (12')-T	3.6m (12')	N/A
Z669010XX-3.6m (12')-P	3.6m (12')	N/A
Z669010XX-4.2m (14')-T	4.2m (14')	N/A
Z669010XX-4.2m (14')-P	4.2m (14')	N/A
Z669010XX-4.2m (14')-S	4.2m (14')	N/A
Z669010XX-4.9m (16')-T	4.8m (16')	N/A
Z669010XX-4.9m (16')-P	4.8m (16')	N/A
Z669010XX-4.9m (16')-S	4.8m (16')	N/A

