

NEW DESIGN Fast Track

01339X01AA



Details

Continental's new design of fast track is a robust, durable and hi-performance fast track tumbling piste for gymnastics training. The track is freestanding, but can also be recessed into a pit.

The track is supplied complete with:

- A bed manufactured in-house by Continental from genuine Permatron fabric with heavy duty nylon webbing edges and fully welded tri-rings for durability and strength.
- Springs manufactured uniquely to Continental's performance criteria to provide the ultimate in rebound performance
- A heavy duty steel frame powder coated in black as standard, but also available in any colour to suit your facility. For details of available powder coating colours please see here: [Powder Coating Colours](#)
- Removable coverall pads, fixed to the frame with VELCRO® fasteners. The coverall pads are upholstered in PVC - red is standard, but we would be pleased to provide the pads in your choice of 28 colours at no additional charge. Make your fast track your own with a bespoke colourway to suit your gym. [PVC Colour Choices](#)

Additional extras are available from Continental to suit the track that are made specially for your facility. Please call us for details regarding:

- Padded panels to one or both sides and ends of the track
- Wall padding if the track is located close to a wall
- Dismount foam pits, resi-pits or air bags
- Raised podiums into which the track can be recessed

The fast track is available in the following standard lengths:

Version	Overall length	Bed length
	(m)	(m)
D	5.25	4.50
E	6.80	6.05
F	8.35	7.60
G	9.86	9.11
H	11.40	10.65
I	12.95	12.20
J	14.50	13.75
K	16.05	15.30
L	17.56	16.81
M	19.10	18.35
N	20.56	19.81

SKU	Options	Available Colours
01339D01AA - 5.25m	"D" - 5.25m	N/A
01339E01AA - 6.80m	"E" - 6.80m	N/A
01339F01AA - 8.35m	"F" - 8.35m	N/A
01339G01AA - 9.86m	"G" - 9.86m	N/A
01339H01AA - 11.40m	"H" - 11.40m	N/A
01339I01AA - 12.95m	"I" - 12.95m	N/A
01339J01AA - 14.50m	"J" - 14.50m	N/A
01339K01AA - 16.05m	"K" - 16.05m	N/A
01339L01AA - 17.56m	"L" - 17.56m	N/A
01339M01AA - 19.1m	"M" - 19.1m	N/A
01339N01AA - 20.56m	"N" - 20.56m	N/A